















# 1-800-BOLLARDS

The Bollard Experts

- SELECT DESIRED MATERIAL:  
(4" NOMINAL SIZE)
  - FCSC T4040 SCH 40 STAINLESS STEEL
  - FCSC T4040 SCH 40 ASTM A-53 CARBON STEEL
- SELECT DESIRED STAINLESS STEEL BOLLARD FINISH:
  - POLISHED #4 FINISH
  - AS SPECIFIED \_\_\_\_\_
- SELECT DESIRED CARBON STEEL BOLLARD FINISH:
  - POWDER COAT RAL # \_\_\_\_\_
  - AS SPECIFIED \_\_\_\_\_
- SELECT DESIRED STAINLESS STEEL BOLLARD MATERIAL:
  - TYPE 304
  - TYPE 316
- SELECT DESIRED BOLLARD CAP STYLE:
  -  DOME
  -  FLAT
  -  SLOPED
- LENS SELECTION
  - CLEAR 
  - FROSTED 
  - INTERNAL FROSTED 
  - PARACLINE SILVER 
  - PARACLINE WHITE 
  - LOUVER GREY 
  - LOUVER WHITE 
- WATTAGE
  - 5W 16LEDS 100mA
  - 8W 16LEDS 175mA
  - 12W 16LEDS 250mA
- CCT
  - C COOL
  - N NEUTRAL
  - W WARM
- VOLTAGE
  - A 120-277VAC
  - E 120V



PLAN VIEW-FOUNDATION



REVISIONS			
LTR	DESCRIPTION	DATE	APP
COMMENTS			

**SPECIFICATIONS**

HEIGHT: 36"  
 DIAMETER: 4.50"  
 WALL THICKNESS: 0.280"

<b>APPLICATION</b> NEXT ASBY      USED IN		SERIES NUMBER: LCT4000 PRODUCT FAMILY: 10 MPH CRASH TESTED PRODUCT CLASS: STANDARD OR CUSTOMER DEFINED PRODUCT LINE: BOLLARD PRODUCT SUB LINE: REMOVABLE	CASE CODE: LCT4 SHEET: 4 DRAWING NUMBER: LCT40 DRAWN BY: AJA CHECKED BY: APPROVED BY: RELEASE DATE: 1-11-2023
1-800-BOLLARDS, Inc. 10 Hughes Suite 1100 Irvine, CA 92618 PHONE: 1-800-BOLLARDS WEB: WWW.1800BOLLARDS.COM EMAIL: INFO@1800BOLLARDS.COM		TITLE: BOLLARD, CT REMOVABLE	

1. ALL DIMENSIONS TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.  
 2. THE INFORMATION CONTAINED HEREIN IS UNCLASSIFIED EXCEPT WHERE SHOWN OTHERWISE. SPECIFICATIONS AND MATERIAL REQUIREMENTS ARE CONTROLLED BY THE MANUFACTURER'S QUALITY CONTROL SYSTEM.  
 3. THE INFORMATION CONTAINED HEREIN IS UNCLASSIFIED EXCEPT WHERE SHOWN OTHERWISE. SPECIFICATIONS AND MATERIAL REQUIREMENTS ARE CONTROLLED BY THE MANUFACTURER'S QUALITY CONTROL SYSTEM.  
 4. THE INFORMATION CONTAINED HEREIN IS UNCLASSIFIED EXCEPT WHERE SHOWN OTHERWISE. SPECIFICATIONS AND MATERIAL REQUIREMENTS ARE CONTROLLED BY THE MANUFACTURER'S QUALITY CONTROL SYSTEM.

